

SAFETY DATA SHEET

Issuing Date No data available Revision Date 1-June 2015 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name GREASE-OUT HD

Other means of identification

Product Code(s) 1855713

Synonyms N/A

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner & Degreaser

Uses advised against No Information Available

Supplier's details

Supplier AddressBirsch Industries
476 Viking Drive
Virginia Beach, VA. 23452

TEL: 757-622-0355

Emergency telephone number

Emergency Telephone CHEM-TEL, INC.

Number 24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

ACUTE TOXICITY: ORAL – Category 4
SKIN CORROSION/IRRITATION – Category 2
EYE DAMAGE/EYE IRRITATION – Category 2A

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word WARNING

1855713 – GREASE OUT HD Revision Date 1-JUNE 2015

Hazard Statements

Harmful if swallowed

Causes skin irritation

Causes serious eye irritation

 Appearance
 Blue-Green
 Physical State
 Liquid
 Odor
 Mild Scent



Precautionary Statements

Prevention

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/face protection.

Response

IF SWALLOWED: Call a poison center/doctor if you feel unwell. Rinse mouth.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Specific treatment (See label).

Storage

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents and container in accordance with applicable local, regional, national and/or international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Chemical Name	CAS-No	Weight %	Notes
2-Methylpentane-2,4-Diol	107-41-5	1 – 5	*
Tetrapotassium Pyrophosphate	7722-88-5	< 3	*
Sodium Edetate Tetrasodium Salt	64-02-8	< 3	*
Sodium carbonate	479-19-8	< 3	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Liquid and mist may damage eyes, causing corneal damage. Flush with water for at least

15 minutes. Seek medical attention if irritation persists.

Skin Contact May cause reddening and swelling. Flush with water for at least 15 minutes.

Inhalation May be irritating to the throat and lungs. Move to fresh air. Seek medical attention if irritation

persists.

Ingestion May be irritating to the mouth and throat. May cause headache, nausea, abdominal pain,

vomiting and diarrhea. Drink large quantities of water. Seek medical aid.

1855713 - GREASE OUT HD Revision Date 1-JUNE 2015

Indication of immediate medical attention and special treatment needed, if necessary

Most Important Symptoms Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin

irritation. May cause redness and pain. May cause headache, nausea, abdominal pain,

vomiting and diarrhea, if ingested.

General Information Take off immediately all contaminated clothing. In the case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible.) Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect

themselves. Wash contaminated clothing before reuse.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog. Foam. Carbon dioxide (CO2).

Do NOT use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical

No data available

Special Protective Equipment and Precautions for Firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-Fighting Equipment/Instructions

Move containers from fire area if you can do so without risk.

Specific Methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General Fire Hazards

No data available

	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions	Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Environmental Precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto ground.
Methods for Cleaning Up	Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get this material in contact with eyes. Do not taste or swallow, Avoid contact with skin, Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For institutional and industrial use only.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits No exposure limits noted.

1855713 – GREASE OUT HD Revision Date 1-JUNE 2015

Biological Limit Values No biological exposure limits noted.

Appropriate Engineering Controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower mush be available when handling this

product.

Individual protection measures, such as personal protective equipment

Eye & Face Protection Wear eye/face protection. Wear safety glasses with side shields (or goggles) and a face

shield.

Hand & Skin Protection Wear appropriate chemical resistant gloves and clothing.

Respiratory Protection In cause of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures When using, do not eat, drink or smoke. Always observe good personal hygiene measures,

such as washing after handling the material and before eating, drinking, and/or smoking.

Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Blue-Green

Odor Mild Scent Odor Threshold No information available

PropertyValuespH11.0 – 12.0Melting Point/RangeNo data availableBoiling Point/Boiling Range>212°F (>100°C)Flash PointNo data availableEvaporation rateNo data availableFlammability (solid, gas)No data available

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure 20mm Hg @ 68°F (20°C)

Vapor DensityNo data availableRelative DensityNo data available

Specific Gravity 1.06

No data available Water Solubility Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** No data available Flammable Properties No data available **Explosive Properties** No data available **Oxidizing Properties** No data available

10. STABILITY AND REACTIVITY

Stability

The product is stable

Possibility of hazardous reactions

No dangerous reaction known under normal conditions.

1855713 - GREASE OUT HD Revision Date 1-JUNE 2015

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Do not mix with any other chemicals.

Hazardous decomposition products

No data available

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Ingestion Harmful if swallowed. Inhalation May be irritating if inhaled. **Skin Contact** May cause skin irritation. **Eye Contact** Causes serious eve damage.

Symptoms Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin irritation.

May cause redness and pain. May cause headache, nausea, abdominal pain, vomiting and

diarrhea, if ingested.

Information on Toxicological Effects

Harmful if swallowed. **Acute Toxicity** Skin Corrosion/Irritation Causes skin irritation

Serious Eye Damage/Eye Irritation Causes serious eye damage.

Respiratory Sensitization Not available

This product is not expected to cause skin sensitization. **Skin Sensitization**

Germ Cell Mutagenicity No data available

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive Toxicity

Specific Target Organ Toxicity

Single Exposure

Specific Target Organ Toxicity

Repeated Exposure

Aspiration Hazard

This product is not expected to cause reproductive or developmental effects. Not applicable

Not applicable

Not available

12. ECOLOGICAL INFORMATION

Ectotoxicity No data available No data available Persistence and Degradability **Bioaccumulative Potential** No data available **Mobility In Soil** No data available

Other Adverse Effects No other adverse environmental effects are expected from this product.

13. DISPOSAL CONSIDERATIONS

Disposal Instructions Container Disposal – Nonrefillable container. Do not reuse or refill this container. Offer for

recycling, if available. Triple rinse container promptly after emptying.

For containers 5 gallons or less - Triple rinse as follows: Fill container 1/4 full with water and recap. Agitate vigorously. Deain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available,

puncture and dispose in a sanitary landfill.

For containers greater than 5 gallons – Triple Rinse as follows: Fill container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Repeat procedure two more times. Then offer for recycling or reconditioning. If not

available, puncture and dispose in a sanitary landfill.

1855713 – GREASE OUT HD Revision Date 1-JUNE 2015

Local Disposal Regulations Dispose in accordance with all applicable regulations.

Hazardous Waste Code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste From Residues Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may retain product residue, follow label warnings even

after container is emptied.

14. TRANSPORT INFORMATION

DOT

Not Regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories: Immediate Hazard – Yes SARA 302 Extremely Hazardous Substance: No

SARA 311/312 Hazardous Chemical: Sodium Carbonate (497-19-8) [RQ(lbs): 500]

SARA 313: No

Clean Air Act (CAA)

Section 112 Hazardous Air Pollutants List: Not Regulated Section 112r Accidental Release Prevention: Not Regulated

CERCLA (40 CFR 302.4)

Not Listed

US OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)

Not Listed

Safe Water Drinking Act (SDWA)

Not Regulated

California Proposition 65

Not Listed

16. OTHER INFORMATION

NFPA Health 1 Flammability 0 Instability 1

Prepared By Birsch Industries

476 Viking Drive

Virginia Beach, VA. 23452 TEL: 757-622-0355 No information available

Issuing Date Revision DateNo information
1-June 2015

Revision Note N/A

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet